MAXIM® 4FS

Date: 6/7/2017 Replaces: 8/5/2015



1. PRODUCT IDENTIFICATION

Product identifier on label:	MAXIM® 4FS
Product No.:	A9459B
Use:	Fungicide
Manufacturer:	Syngenta Crop Protection, LLC Post Office Box 18300 Greensboro NC 27419
Manufacturer Phone:	1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications:	Not Applicable
Signal Word (OSHA):	Not Applicable
Hazard Statements:	Not Applicable

Hazard Symbols:

Precautionary Statements: Not Applicable

Other Hazard Statements: None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Ethylene Glycol	Ethylene Glycol	107-21-1	<15.0%
Other ingredients	Other ingredients	Trade Secret	>44.7%
4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H- pyrrole-3-carbonitrile	Fludioxonil	131341-86-1	40.3%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

syngenta®

MAXIM® 4FS Date: 6/7/2017 Replaces: 8/5/2015

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion:	If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Eye Contact:	If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or

doctor for treatment advice. Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Not Applicable

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container, seal container and arrange for disposition.

MAXIM® 4FS

Date: 6/7/2017 Replaces: 8/5/2015



7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities: Not Applicable

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Ethylene Glycol	Not Established	100 mg/m³ (ceiling) [aerosol]	Not Established	Not Applicable
Other ingredients	Not Established	Not Established	Not Established	Not Applicable
Fludioxonil	Not Established	Not Established	5 mg/m³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles.

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A respirator is not normally required when handling this substance. Use effective engineering controls to comply with occupational exposure limits.

In case of emergency spills, use a NIOSH approved respirator with any N, R, P or HE filter.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colorless liquid Odor: Sweet, like latex paint Odor Threshold: Not Available pH: 7 - 8 (1% solution in H2O @ 77°F (25°C)) Melting point/freezing point: Not Applicable

MAXIM® 4FS

 Date:
 6/7/2017

 Replaces:
 8/5/2015



-	places. 0/5/2015	
	Initial boiling point and boiling ra	nge: Not Available
	Flash Point (Test Method):	209°F
	Flammable Limits (% in Air):	Not Available
	Flammability:	Not Available
	Vapor Pressure: Fludioxonil	2.9 x 10(-9) mmHg @ 77°F (25°C)
	Vapor Density: Not Available	
	Relative Density: 1.191 g/cm ³	
	Solubility (ies): Fludioxonil	1.8 mg/l @ 77°F (25°C)
	Partition coefficient: n-octanol/wa	ater: Not Available
	Autoignition Temperature: Not	Available
	Decomposition Temperature:	Not Available
	Viscosity: Not Available	
	Other: None	

10. STABILITY AND REACTIVITY

Reactivity: Not reactive. Chemical stability: Stable under normal use and storage conditions. Possibility of hazardous reactions: Will not occur. Conditions to Avoid: None known. Incompatible materials: None known.

Hazardous Decomposition Products: None known.

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Not Applicable

Delayed, immediate and chronic effects of exposure: Not Applicable

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Rat) :	> 5050 mg/kg body weight
Dermal:	Dermal (LD50 Rabbit) :	> 2020 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 3.77 mg/l air - 4 hours
Eye Contact:	Minimally Irritating (Rabbit)	
Skin Contact:	Non-Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

syngenta®

MAXIM®	4FS		
Date:	6/7/2017		
Replaces:	8/5/2015		

Reproductive/Developmental Effects

Fludioxonil: Delayed development at doses causing maternal toxicity.

Chronic/Subchronic Toxicity Studies

Fludioxonil: Liver and kidney toxicity at high dose levels.

Carcinogenicity

Fludioxonil: Marginal increase (7%) of liver tumors (female, rats: 3,000 ppm); Within historical control range (1 to 10%).

Chemical Name	NTP/IARC/OSHA Carcinogen
Ethylene Glycol	No
Other ingredients	No
4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H pyrrole-3-carbonitrile	I- No
Other Toxicity Information None	
Toxicity of Other Components Ethylene Glycol	
concentrations of mists or a	hown to produce dose-related teratogenic effects in rats and mice. Exposure to high aerosols may result in effects on the hematopoietic system and central nervous ziness and drowsiness. Severe kidney damage results from swallowing large amounts
Other ingredients	
Not Established	
<u>Target Organs</u>	
Active Ingredients	
Fludioxonil:	Liver, kidney
Inert Ingredients	
Ethylene Glycol:	Blood, kidney, CNS
Other ingredients:	Not Established

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Fludioxonil: Fish (Rainbow Trout) 96-hour LC50 0.47 ppm Green Algae 5-day EC50 0.087 ppm Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 0.9 ppm Bird (Bobwhite Quail) 14-day LD50 > 2000 mg/kg

Environmental Fate

Fludioxonil:

The information presented here is for the active ingredient, fludioxonil.

MAXIM® 4FS

Date: 6/7/2017 Replaces: 8/5/2015



syngenta®

Does not bioaccumulate. Persistent in soil. Stable in water. Low mobility in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA Not regulated

Comments

Water Transport - International Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Fludioxonil), Marine Pollutant Hazard Class: Class 9 Identification Number: UN 3082 Packing Group: PG III

Air Transport Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Fludioxonil) Hazard Class: Class 9 Identification Number: UN 3082 Packing Group: PG III

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if inhaled. Causes moderate eye irritation. Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Remove contaminated clothing and wash clothing before reuse.

EPA Registration Number(s):

100-758

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard

Section 313 Toxic Chemicals: Ethylene Glycol <15.0% (CAS No. 107-21-1)

California Proposition 65:

This product does not contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

CERCLA/SARA 304 Reportable Quantity (RQ):

syngenta®

Date: 6/7	/2017					
Replaces: 8/5	/2015					
Report product spil	ls >= 4,450 gal. (bas	ed on ethylene glycol [R	Q = 5,000 lbs.] conten	t in th	ne formulation) (C	ERCLA)
RCRA Hazardous W	aste Classification (40 CFR 261):				
Not Applicable						
TSCA Status:						
Exempt from TSCA	, subject to FIFRA					
16. OTHER INFORMATI	ON					
NFPA Hazard Rating	<u>15</u>	HMIS Hazard Rating	IS	0	Minimal	
Health:	1	Health:	1	1	Slight	
Flammability:	1	Flammability:	1	2	Moderate	
Instability:	0	Physical Hazard:	0	3	Serious	
Syndent	a Hazard Category:	Δ		4	Extreme	
Cyngon	a nazara oatogory.			*	Chronic	
	For no	on-emergency questions	about this product cal	I:		
		1-800-334-9	9481			
Original Issued D	ate: 4/3/2002					
Revision Date:	6/7/2017	Replaces:	8/5/2015			
Section(s) Revise	ed: 3,7,9					